



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/065,872	11/26/2002	Wilbur Ernest Harrison		5273

34341 7590 07/16/2004

WILBUR E. HARRISON, JR.  
226 STONEWALL ROAD  
CATONSVILLE, MD 21228-5443

EXAMINER
WOOD, KIMBERLY T

ART UNIT	PAPER NUMBER
3632	

DATE MAILED: 07/16/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

# Office Action Summary

Application No.

10/065,872

Applicant(s)

HARRISON, WILBUR ERNEST

Examiner

Kimberly T. Wood

Art Unit

3632

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 01 April 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-7 is/are pending in the application.
- 4a) Of the above claim(s) 1-3 and 5-7 is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 4 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 4/1/04 is/are: a) ☐ accepted or b) ☒ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

## Attachment(s)

- |   |   |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)                        | 4) <input type="checkbox"/> Interview Summary (PTO-413)                     |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)    | Paper No(s)/Mail Date. _____  |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date _____   | 6) <input type="checkbox"/> Other: _____                                    |

This is an office action for serial number 10/065,872.

### INTRODUCTION

An examination of this application reveals that applicant may be unfamiliar with patent prosecuting procedure. While an inventor may prosecute the application, lack of skill in this field usually acts as a liability in affording the maximum protection for the invention disclosed.

Applicant is advised to secure the services of a registered patent attorney or agent to prosecute the application. The value of a patent is largely dependent upon skillful preparation and prosecution. Although the services of a registered patent attorney or agent is advised, the Office cannot aid in selecting an attorney or agent. 37 C.F.R. § 1.31; M.P.E.P. § 401. However, Applicant is encouraged to peruse the publication entitled "Attorneys and Agents Registered to Practice Before the U.S. Patent and Trademark Office." This publication is for sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C. 20402.

### ***Election/Restrictions***

This application contains claims 1-3, 5-7 drawn to an invention nonelected without traverse in the reply filed on September 17, 2003. A complete reply to the final rejection

Art Unit: 3632

must include cancellation of nonelected claims or other appropriate action (37 CFR 1.144) See MPEP § 821.01.

### *Drawings*

The drawings were received on April 1, 2004. These drawings are objected to by the examiner and will not be entered into the application due to new matter. Some of the added material which is not supported by the original disclosure is as follows:

The structural clamps (5), towers being built on the ground or on the water level, the tower foundations normally being pilings driven down to ground rock, or the tower foundations may be other suitable foundations. The drawings of Figures 1 and Figure 2 are new matter.

### *Claim Objections*

The numbering of claims is not in accordance with 37 CFR 1.126 which requires the original numbering of the claims to be preserved throughout the prosecution. When claims are canceled, the remaining claims must not be renumbered. When new claims are presented, they must be numbered consecutively

beginning with the number next following the highest numbered claims previously presented (whether entered or not).

Misnumbered claims 4-6 been renumbered 5-7.

### *Specification*

The amendment filed April 1, 2004 is objected to under 35 U.S.C. 132 because it introduces new matter into the disclosure. 35 U.S.C. 132 states that no amendment shall introduce new matter into the disclosure of the invention. Some of the added material which is not supported by the original disclosure is as follows:

The structural clamps (5), towers being built on the ground or on the water level, the tower foundations normally being pilings driven down to ground rock, or the tower foundations may be other suitable foundations. The drawings of Figures 1 and Figure 2 are new matter.

Applicant is required to cancel the new matter in the reply to this Office Action.

The substitute specification filed April 1, 2004 has not been entered because it does not conform to 37 CFR 1.125(b) and (c) because: it includes new matter such as the structural clamps (5), towers being built on the ground or on the water

level, the tower foundations normally being pilings driven down to ground rock, or the tower foundations may be other suitable foundations. The drawings of Figures 1 and Figure 2 are new matter.

### *Claim Rejections - 35 USC § 112*

Claim 4 rejected as failing to define the invention in the manner required by 35 U.S.C. 112, second paragraph.

The claim(s) are narrative in form and replete with indefinite and functional or operational language. The structure which goes to make up the device must be clearly and positively specified. The structure must be organized and correlated in such a manner as to present a complete operative device. The claim(s) must be in one sentence form only. Note the format of the claims in the patent(s) cited.

The applicant cannot refer to claims that have been withdrawn and/or canceled such as in claim 4. In order to avoid confusion the applicant should set forth every limitation in the claim rather than referring to other claims as a "short hand" method of referring to the limitations.

The claim has not been rejected using prior art due to the problems concerning 35 USC 112 second paragraph and the claim objections. The applicant is not to assume that by correcting

Art Unit: 3632

the problems under 35 USC 112 second paragraph and the claim objections that the claim would be allowable.

### ***Conclusion***

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kimberly

Art Unit: 3632

T. Wood whose telephone number is 703-308-0538. The examiner can normally be reached on Monday-Thursday 7:30am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Leslie Braun can be reached on 703-308-2156. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

  
Kimberly T. Wood  
Primary Examiner  
Art Unit 3632

July 13, 2004